

**EUROSANDOW**


5 Rue Edouard  
Martel  
42100 SAINT-  
ETIENNE

Tél.: 33 (0) 4 77 81 42 00

Fax: 33 (0) 4 77 81 42 09

e-mail: eurosandow@eurosandow.com

web: www.eurosandow.com

**SANDOWS MARINE RANGE (2)****TECHNICAL CHARACTERISTICS**

Cable in polyamide, with natural latex, plastic or wood tips

**REFERENCE DIMENSIONS****SAILING FERLET - ROCKING TIP**

Mark	Code	Ø	L	Conditionnement
1	500618e	6MM	35CM	50
1	500620e	6MM	55CM	50
1	500622e	6MM	75CM	50
1	500624e	8MM	55CM	25
1	500626e	8MM	75CM	25

**SAILING FERLET - WOOD CABILLOT**

Mark	Code	Ø	L	Conditionnement
2	500618c	6MM	35CM	50
2	500620c	6MM	55CM	50
2	500622c	6MM	75CM	50
2	500624c	8MM	55CM	25
2	500626c	8MM	75CM	25

**ADJUSTABLE FERLET CLIP-QUIK**

Mark	Code	Ø	L	Conditionnement
3	50055025	5MM	50CM	2
3	50088025	5MM	80CM	2

**FERLET LOOP - MINOR HOOK**

Mark	Code	Ø	L	Conditionnement
4	50041550	4MM	15CM	50
4	50042050	4MM	20CM	50
4	50042550	4MM	25CM	50
4	50069250	5MM	35CM	50
4	50069450	5MM	55CM	50
4	50069650	5MM	75CM	50

**SAILING FERLET - PLASTIC BALL**

Mark	Code	Ø	L	Conditionnement
5	500435b	4MM	35CM	50
5	500455b	4MM	55CM	50
5	500475b	4MM	75CM	25

L = over all length

for different length,diameters,colors, quantities on request, consult us.

**PRECAUTION FOR USE**

Unless specific characteristics, our products should not be used beyond 75% elastic elongation.

utilisation of our product must follow the precaution for use without taking unnecessary risks.

